

DFT

AUTOGATE OPERATOR

YOUR RELIABLE PARTNER
FOR QUALITY GATE AUTOMATION

SILENT, STRONG & COST-EFFECTIVE

Model: X2

Engineered for durability,
precision, and reliability –
DFT X9 delivers seamless
automation for both residential



Swing
Gates



Ultra-Silent
Motor



Energy
Efficient

IMPROVES SECURITY | UNBEATABLE VALUE | CONVENIENT | PEACE OF MIND

DFT SERIES


DFT
AUTOGATE OPERATOR

Technical Characteristics


Code	DFT X2
Power supply	230 VAC
Motor voltage	24 VDC
Current input	0.5 A
Leaf max dimension	5 M
Working temperature	-20°C / +50°C
Max weight of gate	500kg
Backup Batery	12 DC 7AH
Travel Time (sec)	8-12 sec
Weight	11kg
Max opening angel	110°
Dual speed	Yes

* Specification is subject to change without prior notice

Product Dimensions




Installation Outlook



Control Panel and Accessories



Overall Installation Guide



For enquiries please contact

ISO 9001
BUREAU VERITAS
Certification



Manufactured by ISO:9001:2008
Certified Company



BUATAN MALAYSIA
MADE IN MALAYSIA

www.amware.com.my

DFT X2 Motor

Fully Metal Gear Motor

No Nylon, No Fibre

