

*Your Reliable Partner  
for Quality Gate Automation*

**DFT**  
AUTOGATE OPERATOR

**20ft+**

Heavy Duty  
Capacity

# COMMERCIAL-STRENGTH AUTOGATE ARM

**20ft+ HEAVY-DUTY  
CAPACITY**

Model: X6



Heavy-Duty  
Strength



Commercial  
Capacity 20f+



Proyen  
Ultra-Silent  
Motor

# DFT SERIES


**DFT**  
AUTOGATE OPERATOR

## Technical Characteristics


Code	DFT X6
Power supply	230 VAC
Motor voltage	24 VDC
Current input	0.5 A
Leaf max dimension	5 M
Working temperature	-20°C / +50°C
Max weight of gate	<b>750kg</b>
Backup Battery	12 DC 7AH
Travel Time (sec)	8-12 sec
Weight	11kg
Max opening angel	110°
Dual speed	Yes

\* Specification is subject to change without prior notice

## Product Dimensions




## Installation Outlook



## Control Panel and Accessories



## Overall Installation Guide



For enquiries please contact

ISO 9001  
BUREAU VERITAS  
Certification



Manufactured by ISO:9001:2008  
Certified Company



BUATAN MALAYSIA  
MADE IN MALAYSIA

www.amware.com.my

# DFT X6

**Fully Alloy Gear Motor**  
No Nylon, No Fibre

