

*Your Reliable Partner
for Quality Gate Automation*

DFT
AUTOGATE OPERATOR

20ft+

Heavy Duty
Capacity

COMMERCIAL-STRENGTH AUTOGATE ARM

**20ft+ HEAVY-DUTY
CAPACITY**

Model: X6



Heavy-Duty
Strength



Commercial
Capacity 20f+



Proyen
Ultra-Silent
Motor

IMPROVES SECURITY | UNBEATABLE VALUE | CONVENIENT | PEACE of MIND | SAVES TIME

DFT X6

Fully Alloy Gear Motor
No Nylon, No Fibre



DFT SERIES


DFT
AUTOGATE OPERATOR

Technical Characteristics


Code	DFT X6
Power supply	230 VAC
Motor voltage	24 VDC
Current input	0.5 A
Leaf max dimension	5 M
Working temperature	-20°C / +50°C
Max weight of gate	750kg
Backup Batery	12 DC 7AH
Travel Time (sec)	8-12 sec
Weight	11kg
Max opening angel	110°
Dual speed	Yes

* Specification is subject to change without prior notice

Product Dimensions




Installation Outlook



Control Panel and Accessories



Overall Installation Guide



ISO 9001
BUREAU VERITAS
Certification



Manufactured by ISO:9001:2008
Certified Company

BUATAN MALAYSIA
MADE IN MALAYSIA

For enquiries please contact

www.amware.com.my