

DFT

AUTOGATE OPERATOR

YOUR RELIABLE PARTNER
FOR QUALITY GATE AUTOMATION

SILENT, STRONG & COST-EFFECTIVE

Modal:X2 +



Engineered for durability,
precision, and reliability –
DFT X9 delivers seamless
automation for both residential and



Swing
Gates



Ultra-Silent
Motor



Energy
Efficient

IMPROVES SECURITY | UNBEATABLE VALUE | CONVENIENT | PEACE OF MIND

DFT SERIES


DFT
AUTOGATE OPERATOR

Technical Characteristics


Code	DFT X2 +
Power supply	230 VAC
Motor voltage	24 VDC
Current input	0.5 A
Leaf max dimension	5 M
Working temperature	-20°C / +50°C
Max weight of gate	500kg
Backup Battery	12 DC 7AH
Travel Time (sec)	8-12 sec
Weight	11kg
Max opening angel	110°
Dual speed	Yes

* Specification is subject to change without prior notice

Product Dimensions




Installation Outlook



Control Panel and Accessories



Overall Installation Guide



ISO 9001
BUREAU VERITAS
Certification



Manufactured by ISO:9001:2008
Certified Company



BUATAN MALAYSIA
MADE IN MALAYSIA

For enquiries please contact

www.amware.com.my

DFT X2 PLUS Motor

Fully Metal Gear

No Nylon, No Fibre

